

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	5279	france near2 telecom. as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 12:34
S5	4535	(datagram or packet) same (mark\$4 or tag \$4)near20 network	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 13:57
S6	5440	(datagram\$4 or packet \$4)same (mark\$4 or tag\$4)near20 network	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 13:57
S7	12	S3 and S6	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 13:58
S8	1198	(rout\$4 or path)same (datagram or packet) same (mark\$4 or tag \$4)same field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:06
S9	2266	(datagram or packet) same (mark\$4 or tag \$4)same source same destination	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:11
S10	431	S8 and S9	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:11
S11	12818	cisco.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:11
S12	32	S10 and S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:11
S13	1193	(datagram or packet) same (mark\$4 or tag \$4)same source same destination same (identif\$4 or classif\$6 or recogniz\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:16

S14	45	S11 and S13	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:17
S15	282	S8 and S13	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:21
S17	16	S11 and S15	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:21
S19	369	datagram rout\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:33
S20	69	S19 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:33
S22	11	(datagram or packet) same (mark\$4 or tag \$4)same source same destination same (identif\$4 or classif\$6 or recogniz\$4)same vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 14:36
S23	19	(datagram or packet) same (mark\$4 or tag \$4)same source same destination same vector same field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:02
S24	22	(datagram or packet) same (mark\$4 or tag \$4 or flag)same source same destination same vector same field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:03
S27	2085	PREFIX SAME ROUT\$4 SAME DESTINATION	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:33
S28	128	S13 AND S27	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:33
S29	38	S28 AND VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:34

S31	96	S28 AND S30	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:35
S32	37	S31 AND VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:35
S35	80	DATAGRAM WITH VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:39
S37	21	S27 AND S35	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:41
S39	55	"6473411" B1	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/20 15:54
S41	1888	multicast routing	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 07:59
S42	537	S41 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 07:59
S43	292985	table same reference	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 07:59
S44	148	S42 and S43	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:00
S45	51	S44 and index same field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:00
S48	4102	ROUT\$4 SAME IP SAME DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:05
S51	50	S45 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:06

S52	485	FORWARD ROUTING	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:07
S55	989	(MARK\$4 OR FLAG\$4 OR DESCRIPTOR\$4) SAME (DATA\$4 OR PACKET) SAME (STREAM OR PATH OR ROUTE) SAME ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:17
S60	47	S58 AND INDEX SAME FIELD	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:20
S61	12848	CISCO.AS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:21
S65	459	VECTOR INDEX SAME (DATAGRAM OR DATA OR FRAME OR PACKET)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:33
S68	4	S61 AND S65	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:34
S69	1440	VECTOR INDEX	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:35
S70	4	S61 AND S69	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:36
S71	4015	INDEX FIELD	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:36
S72	37	S69 AND S71	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:36
S76	11004	NORTEL.AS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:51
S78	15	S55 AND S76	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 08:52

S79	6922	VECTOR same INDEX SAME (DATAGRAM OR DATA OR FRAME OR PACKET)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 09:38
S80	863	VECTOR same INDEX SAME field same (DATAGRAM OR DATA OR FRAME OR PACKET)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 09:38
S83	124	S80 and router	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 09:42
S84	5	S55 AND S80	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 09:54
S85	15	S55 AND S76	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 09:55
S86	14719	routing table	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:07
S87	24	S80 and S86	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:07
S88	128	(MARK\$4 OR FLAG\$4 OR DESCRIPTOR\$4) SAME (DATA\$4 OR PACKET) SAME (STREAM OR PATH OR ROUTE)S	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:11
S89	41552	(MARK\$4 OR FLAG\$4 OR DESCRIPTOR\$4) SAME (DATA\$4 OR PACKET) SAME (STREAM OR PATH OR ROUTE)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:11
S90	1459	S86 and S89	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:12
S91	453	S90 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:12

S92	1097	(MARK\$4 OR FLAG\$4 OR DESCRIPTOR\$4) SAME (DATA\$4 OR PACKET) SAME (STREAM OR PATH OR ROUTE) SAME vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:13
S93	951	S92 and field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:13
S94	182	S92 and field same index	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:14
S95	76	S94 and router	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:14
S97	74	S95 and table	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:14
S98	12	S86 and S95	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:15
S99	22	S95 and table same routing	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:16
S101	24	"6473421" B1	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:24
S102	15	08/997343	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 10:29
S103	43	"6763007" B1	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:18
S104	80	VECTOR WITH DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:27
S106	62	S104 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:28

S107	11	VECTOR WITH DATAGRAM SAME FIELD	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:29
S108	2	10/725968	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:30
S109	80	VECTOR WITH DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:48
S110	87	FORWARDING DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:48
S111	5	S109 AND S110	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:49
S116	169	VECTOR SAME DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:51
S117	7	S110 AND S116	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:51
S119	83	S118 AND DATAGRAM SAME VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:53
S120	7	S117 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:53
S121	65	S119 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:53
S122	4	S117 AND ROUT\$5 SAME TABLE	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 11:54
S123	36	"6345302"	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 14:11

S124	159	"5517494"	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 14:16
S127	43	S125 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 14:23
S129	26	"6212190" B1	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:14
S130	100	DATAGRAM SAME TRANSMI\$6 SAME VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:20
S131	82	S130 AND (MARK\$4 OR TAG\$4 OR LABEL)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:20
S132	66	S131 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:20
S134	60	S133 AND VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:26
S136	5	S133 AND VECTOR SAME DATAGRAM SAME FIELD	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:27
S137	67	DATAGRAM FORWARDING	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:28
S138	6	S137 AND VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:28
S139	80	DATAGRAM WITH VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:29
S140	62	S139 AND ROUTER	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:30



S141	53	S140 AND (TAG OR LABEL OR MARK)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:30
S142	54	S118 and S139	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/26 16:45
S145	118163	"370"/\$.CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 07:33
S147	368	S143 and S145	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 07:33
S148	78	S147 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 07:33
S149	57	S147 and datagram same (forward\$4 or transmi\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 07:34
S150	38	S147 and datagram with(forward\$4 or transmi\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 07:34
S151	13	"6480468"	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 08:19
S154	156	hop with vector same rout\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:21
S156	13	S155 and S154	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:21
S157	2	hop with vector same rout\$4 same datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:25
S159	31	S154 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:33

S160	80	vector with datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:34
S161	3	vector with datagram same hop	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:34
S162	55	S160 and hop	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:34
S163	55	S162 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:35
S164	4	S163 and index	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:35
S166	31	hop\$1by\$1hop same vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:39
S167	6	hop\$1by\$1hop same vector same datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:39
S169	24	hop\$1by\$1hop same vector same rout\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:44
S170	5	S169 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:44
S171	1489	multicast same datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:46
S172	62	S165 and S171	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:46
S173	16	S172 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 09:46

S175	101	S165 and S174	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:06
S176	34	S175 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:07
S177	8	S175 and datagram same vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:07
S178	14	S176 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:08
S180	10	hop\$1by\$1hop same (packet or datagram) same vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:16
S181	82	(packet or datagram) same vector length	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:18
S184	29	S181 AND S183	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:25
S190	173	S189 AND VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:31
S191	163	S190 AND (PACKET OR DATAGRAM)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:31
S192	84	S191 AND HOP	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:32
S193	3	"20030037142" A1	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 10:37
S194	89	S165 and S188	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 11:10

S196	3	S161 and (packet or datagram)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 11:15
S197	81	S194 and (packet or datagram)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 11:16
S198	42	S194 and (packet or datagram) same (field or vector)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 11:16
S199	67	S188 and (packet or datagram) with vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 11:42
S203	5324	hop\$1by\$1hop same (forwarding or transmit \$6) or (packet or datagram) same vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:50
S204	297	hop\$1by\$1hop same (forwarding or transmit \$6) or (packet or datagram) same vector filed	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:51
S206	115	S204 and S205	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:52
S207	1271	next router	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:52
S208	10	S206 and S207	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:53
S209	2	S208 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 13:56
S210	179	ROUTING DATAGRAM	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 14:03
S213	22659	DISTAN\$4 WITH VECTOR	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 14:14

S214	31	S210 AND S213	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 14:14
S217	25	S215 AND hop\$1by \$1hop	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:18
S218	361	S216 AND DATAGRAM SAME ROUT\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:31
S220	253	S218 and S219	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:34
S221	85	S220 and hop	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:35
S222	70	S221 and router	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:35
S223	29	S222 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:37
S224	13	S222 and read\$4 same writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:41
S225	4	S224 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:54
S226	88	datagram same vector same rout\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 15:57
S229	29	S228 and vector	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 16:01
S230	22	S229 and router	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 16:01

S231	13	S230 and hop	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 16:01
S232	13	S231 and (ORIGINAT \$4 OR SOURCE) SAME DESTINATION	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/27 16:02
S233	955	router same table same (datagram or packet) same field	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 08:55
S236	253	S233 and read\$4 with writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 08:56
S237	242	S236 and (increment \$4 or rise or addition)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 08:57
S239	154	S236 and incremented	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 08:58
S240	20	S236 and incremented same read same value	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 08:58
S241	7215	rou\$4 same table same writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 09:02
S242	4	rou\$4 same table same writ\$4 same field same datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 09:03
S243	10287	router with table	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 10:24
S245	52340	rou\$4 with table	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 10:25
S247	582	rou\$4 with table same datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 10:27

S248	12	rout\$4 with table same datagram same writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 10:27
S249	6	rout\$4 with table same datagram same writ\$4 same (one or S233)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 11:21
S250	389	rout\$4 with table same incremented same (one or S233)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 11:33
S251	23	S250 and datagram	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 11:33
S252	191	rout\$4 with table same incremented same (one or S233) same value	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 11:44
S254	30	rout\$4 with table same incremented same (one or S233) same value same (datagram or packet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ADJ	OFF	2009/08/28 11:45

8/ 30/ 2009 5:43:46 PM

C:\ Documents and Settings\ kabdalla\ My Documents\ EAST\ Workspaces\ 10584236.wsp